The British Journal of Clinical Pharmacology

Volume 27
1989

Published for
The British Pharmacological Society by
Blackwell Scientific Publications

© 1989 Blackwell Scientific Publications
Osney Mead, Oxford OX2 0EL
8 John Street, London WC1N 2ES
23 Ainslie Place, Edinburgh EH3 6AJ
3 Cambridge Center, Cambridge, Mass. 02142, USA
107 Barry Street, Carlton, Victoria 3053, Australia

Published on behalf of
The British Pharmacological Society

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior permission of the copyright owner. Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by Blackwell Scientific Publications for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of $03.00 per copy is paid directly to CCC, 27 Congress Street, Salem, MA 01970, USA. 0306-5251/89 $03.00/0. (For copying beyond that permitted by Sections 107 or 108 of the US Copyright Law). This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Special requests should be addressed to the Editor.

Typeset by Oxprint Ltd, Oxford
Printed in Great Britain
at the University Press, Cambridge

Whilst every effort is made by the publishers and editorial committee to see that no inaccurate or misleading data, opinion or statement appears in this Journal, they wish to make it clear that the data and opinions appearing in the articles and advertisements herein are the responsibility of the contributor or advertiser concerned. Accordingly, the publishers and the editorial committee and their respective employees, officers and agents accept no liability whatsoever for the consequences of any such inaccurate or misleading data, opinion or statement.

Contents

Number 1, January 1989

Papers

1 Cardiovascular responses to metipranolol and timolol eyedrops in healthy volunteers: *P. J. Bacon, D. J. Brazier, R. Smith & S. E. Smith*

7 Noradrenaline attenuates the natriuretic effect of atrial natriuretic factor in man: *J. J. McMurray, P. H. Seidelin, R. A. Brown & A. D. Struthers*

13 The renal effects of atrial natriuretic peptide in man are not attenuated by (+)-sulpiride: *S. Freestone, T. M. MacDonald, R. F. Jeffrey, J. Brown & M. R. Lee*

19 Alfuzosin and the venous reflex response: studies in normal subjects: *A. J. Sinclair, I. B. Davies & S. J. Warrington*

23 Effect of the combination of alinidine and other anti-anginal drugs on heart rate and blood pressure in healthy volunteers: *D. W. G. Harron, A. H. Deering, M. Scott, M. McMahon & R. G. Shanks*

31 β-adrenoceptors and human skeletal muscle characterisation of receptor subtype and effect of age: *M. S. Elfellah, R. Dalling, I. M. Kantola & J. L. Reid*

39 Safety and pharmacokinetics of the low molecular weight heparinoid Org 10172 administered to healthy elderly volunteers: *J. C. J. Stiekema, H. P. Wijnand, Th.G. Van Dinther, H. C. T. Moelker, J. Dawes, A. Vinchenzo & H. Toeberich*

49 Pharmacokinetic evaluation in man of terbutaline given as separate enantiomers and as the racemate: *L. Borgström, L. Nyberg, S. Jönsson, C. Lindberg & J. Paulson*

57 Lisinopril population pharmacokinetics in elderly and renal disease patients with hypertension: *A. H. Thomson, J. G. Kelly & B. Whiting*

67 Pharmacokinetics of felodipine in patients with impaired renal function: *B. Edgar, C. G. Regårdh, P. O. Attman, M. Aurell, H. Herlitz & G. Johnsson*

75 Rate-controlled rectal absorption enhancement of cefoxitin by co-administration of sodium salicylate or sodium octanoate in healthy volunteers: *E. J. Van Hoogdalem, A. T. E. Wackwitz, A. G. de Boer, A. F. Cohen & D. D. Breimer*

Short reports

83 A comparison of the influence of famotidine and cimetidine on phenytoin elimination and hepatic blood flow: *N. C. Sambol, R. A. Upton, A. N. Chremos, E. T. Lin & R. L. Williams*

88 The effect of disodium cromoglycate and ketotifen on the excretion of histamine and N^{τ}-methylimidazole acetic acid in urine of patients with mastocytosis: *A. I. Mallet, P. Norris, N. B. Rendell, E. Wong & M. W. Greaves*

92 Effect of oral activated charcoal on quinine elimination: *D. Lockey & D. N. Bateman*

95 Treatment of quinine overdosage with repeated oral charcoal: *L. F. Prescott, A. R. Hamilton & R. Heyworth*

Proceedings

99 Proceedings of the British Pharmacological Society (University of Nottingham, 7–9 September 1988)

Number 2, February 1989

Papers

125 Healthy volunteer studies in Great Britain: the results of a survey into 12 months activity in this field: *M. Orme, J. Harry, P. Routledge & S. Hobson*

135 Effect of Wy-45,727 on 24 h intragastric acidity in twenty normal volunteers: *H. S. Merki, D. Kaufmann, M. Kempf, A. Mappes, J. Heim, J. Roehmel & R. P. Walt*

139 Pharmacological characterization of histamine receptors in the human temporal artery: *A. Ottosson, I. Jansen & L. Edvinsson*

147 The effect on motion sickness and oculomotor function of GR 38032F, a 5-HT_3-receptor antagonist with anti-emetic properties: *J. R. R. Stott, G. R. Barnes, R. J. Wright & C. J. S. Ruddock*

159 The effects of lisuride, terguride and bromocriptine on intraocular pressure (IOP): *M. R. Al-Sereiti & P. Turner*

165 Effect of infused adenosine on cardiac output and systemic resistance in normal subjects: *A. Bush, C. M. Busst, B. Clarke & P. J. Barnes*

173 Importance of β_2-adrenoceptor stimulation in the suppression of intradermal antigen challenge by adrenaline: *J. B. Warren, F. J. Pixley & C. T. Dollery*

179 Oral absorption profile of nitrendipine in healthy subjects: a kinetic and dynamic study: *P. A. Soons, A. G. de Boer, P. Van Brummelen & D. D. Breimer*

191 The effect of enalapril on the renal response to tilting in humans: *N. P. Lewis & D. R. Ferguson*

199 The pharmacokinetics of lisinopril in hospitalized patients with congestive heart failure: *A. E. Till, K. Dickstein, T. Aarsland, H. J. Gomez, H. Gregg & M. Hichens*

205 The pharmacokinetics of caffeine and its dimethylxanthine metabolites in patients with

223 Dextromethorphan: polymorphic serum pattern of the *O*-demethylated and didemethylated metabolites in man: *Ö. Mortimer, B. Lindström, H. Laurell, U. Bergman & A. Rane*
229 Binding of prazosin and propranolol at variable α_1-acid glycoprotein and albumin concentrations: *G. Sager, R. Jæger & C. Little*
235 Joint pain and quality of life; results of a randomised trial: *G. Parr, B. Darekar, A. Fletcher & C. J. Bulpitt*
243 Inhibition of monoamine oxidase by moclobemide: effects on monoamine metabolism and secretion of anterior pituitary hormones and cortisol in healthy volunteers: *M. Koulu, M. Scheinin, A. Kaarttinen, J. Kallio, K. Pyykkö, J. Vuorinen & R. H. Zimmer*

Short reports

257 Lack of effect of treatment with human recombinant-tumour necrosis factor (HrTNF) on the binding of quinidine to α_1-acid glycoprotein (AGP): *J. A. Barnett, D. E. Brenner, P. J. Creaven & D. Lalka*
262 Lack of effect of paracetamol on the pharmacokinetics of chloramphenicol: *C. M. Stein, D. P. Thornhill, P. Neill & N. Z. Nyazema*
265 Adenosine-induced respiratory and heart rate changes in young and elderly adults: *A. H. Watt, A. Bayer, P. A. Routledge & C. G. Swift*
268 Effects of atenolol *vs* diltiazem on the haemodynamic effects of an inhaled β_2-adrenoceptor agonist: *K. R. Chapman, B. M. Galko, D. L. Smith & F. H. H. Leenen*
272 Substantial rise in sparteine metabolic ratio during haloperidol treatment: *L. F. Gram, D. Debruyne, V. Caillard, J. P. Boulenger, J. Lacotte, M. Moulin & E. Zarifian*
276 Seasonal variation in responsiveness of human eccrine sweat glands to phenylephrine: *W. M. A. Banjar, C. M. Bradshaw & E. Szabadi*

Letter to the Editors

279 Once nightly sustained release theophylline in elderly subjects: *A. Rodgers, K. W. Woodhouse & D. N. Bateman*

Number 3, March 1989

Leading article

281 The value of therapeutic drug monitoring to the practising physician—an hypothesis in need of testing: *G. T. McInnes*

Papers

285 Methylprednisolone pharmacokinetics after intravenous and oral administration: *S. M. H. Al-Habet & H. J. Rogers*
291 The tubular excretion of benzylpenicillin in patients with cystic fibrosis: *J. W. Bins & H. Mattie*
295 Metabolism of the contraceptive steroid desogestrel by the intestinal mucosa: *S. Madden, D. J. Back, C. A. Martin & M. L'E. Orme*
301 Pharmacokinetics of acitretin and its 13-cis metabolite in patients on haemodialysis: *A. E. Stuck, C. J. Brindley, A. Busslinger & F. J. Frey*
305 Comparison of the acute renal and peripheral vascular responses to frusemide and bumetanide at low and high dose: *A. P. Passmore, E. M. Whitehead & G. D. Johnston*
313 A double-blind comparison of conventional and controlled-release carbamazepine in healthy subjects: *J. G. Larkin, A. McLellan, A. Munday, M. Sutherland, E. Butler & M. J. Brodie*
323 The effect of carbamazepine on valproic acid disposition in adult volunteers: *S. K. Panesar, J. M. Orr, K. Farrell, R. W. Burton, K. Kassahun & F. S. Abbott*
329 A controlled evaluation of a homoeopathic preparation in the treatment of influenza-like symptoms: *J. P. Ferley, D. Zmirou, D. D'Adhemar & F. Balducci*
337 The effects of intradermal bradykinin are potentiated by angiotensin-converting enzyme inhibitors in hypertensive patients: *R. E. Ferner, D. Wilson, J. R. Paterson, R. Wilkinson & M. D. Rawlins*
343 Cardiovascular (ECG and systolic time intervals) and anticholinergic effects of repeated doses of femoxetine—a comparison with amitriptyline and placebo in healthy men: *S. J. Warrington, P. Turner & B. K. Skrumsager*
353 Pharmacokinetics of cyclosporin: influence of rate-duration profile of an intravenous infusion in renal transplant patients: *S. K. Gupta, A. Bakran, R. W. G. Johnson & M. Rowland*
359 24 h blood pressure control with the once daily calcium antagonist, amlodipine: *M. E. Heber, G. Brigden, I. Al-Khawaja & E. B. Raftery*
367 The need for reassessment of digoxin prescribing for the elderly: *L. Nolan, R. Kenny & K. O'Malley*
371 Comparative effects of zofenopril and hydrochlorothiazide on office and ambulatory blood pressures in mild to moderate essential hypertension: *Y. Lacourcière & P. Provencher*
377 An investigation of premedication with morphine given by the buccal or intramuscular route: *K. H. Simpson, I. C. Tring & F. R. Ellis*

Short reports

381 Single dose study of the triple combination mefloquine/sulphadoxine/pyrimethamine (Fansimef®)

in healthy male volunteers: *S. M. Mansor, V. Navaratnam, M. Mohamed, S. Hussein, A. Kumar, A. Jamaludin & W. H. Wernsdorfer*
387 Extensive oxidative metabolism of dextromethorphan in patients with almitrine neuropathy: *L. Belec, D. Larrey, H. de Cremoux, M. Tinel, F. Louarn, D. Pessayre & R. Gherardi*
391 Lack of effect of terfenadine on theophylline pharmacokinetics and metabolism in normal subjects: *N. Brion, E. Naline, D. Beaumont, M. Pays & C. Advenier*
396 Captopril: a free radical scavenger: *M. Chopra, N. Scott, J. McMurray, J. McLay, A. Bridges, W. E. Smith & J. J. F. Belch*
400 Enalapril in African patients with congestive cardiac failure: *A. A. Ajayi, M. O. Balogun, E. A. Oyewo & G. O. A. Ladipo*

Number 4, April 1989

Papers
405 Comparison of the cardiovascular and pulmonary effects of oral celiprolol, propranolol and placebo in normal volunteers: *C. M. Busst & A. Bush*
411 A double-blind randomized cross-over study of the efficacy and tolerability of nifedipine and nitrendipine in the treatment of moderate to mild hypertension: *A. M. Heagerty & J. D. Swales*
417 Does a selective 5-hydroxytryptamine antagonist (ICI 169, 369) lower blood pressure in hypertensive patients?: *A. K. Scott, P. Roy-Chaudhury, J. Webster and J. C. Petrie*
423 Variable metabolism of pinacidil: lack of correlation with the debrisoquine and trimethylamine *C* and *N*-oxidative polymorphisms: *R. Ayesh, M. Al-Waiz, A. McBurney, S. C. Mitchell, J. R. Idle, J. W. Ward & R. L. Smith*
429 Timolol metabolism and debrisoquine oxidation polymorphism: a population study: *M. S. Lennard, R. V. Lewis, L. A. Brawn, G. T. Tucker, L. E. Ramsay, P. R. Jackson & H. F. Woods*
435 Genetically-determined interaction between propafenone and low dose quinidine: role of active metabolites in modulating net drug effect: *C. Funck-Brentano, H. K. Kroemer, H. Pavlou, R. L. Woosley & D. M. Roden*
445 Variability in the elimination of mianserin in elderly patients: *E. J. Begg, J. R. Sharman, J. E. Kidd, R. Sainsbury & W. J. Clark*
453 Psychomotor effects of ketorolac in comparison with buprenorphine and diclofenac: *F. C. MacDonald, K. J. Gough, R. A. G. Nicoll & R. J. Dow*
461 A comparison of three mathematical models to describe the disappearance curves of subcutaneously injected ^{125}I-labelled insulin: *P.H.E.M. De Meijer, F.G.M. Russel, H. J. J. Van Lier & C. A. M. Van Ginneken*
469 Cimetidine-nicoumalone interaction in man: stereochemical considerations: *T. S. Gill, K. J. Hopkins, J. Bottomley, S. K. Gupta & M. Rowland*
475 Cyclosporin-erythromycin interaction in renal transplant patients: *S. K. Gupta, A. Bakran, R. W. G. Johnson & M. Rowland*
483 A comparison of the effects of ibuprofen and indomethacin upon renal haemodynamics and electrolyte excretion in the presence and absence of frusemide: *A. P. Passmore, S. Copeland & G. D. Johnston*
491 Acute intermittent porphyria in two patients on anticonvulsant therapy and with normal erythrocyte porphobilinogen deaminase activity: *A. L. Herrick, K. E. L. McColl, M. R. Moore, M. J. Brodie, A. R. Adamson & A. Goldberg*
499 The bioavailability and pharmacokinetics of morphine after intravenous, oral and buccal administration in healthy volunteers: *P. J. Hoskin, G. W. Hanks, G. W. Aherne, D. Chapman, P. Littleton & J. Filshie*
507 Self-report reliability and symptomatology of habitual caffeine consumption: *J. E. James, M. S. Bruce, M. H. Lader & N. R. Scott*

Short reports
515 Long lasting respiratory depression induced by morphine-6-glucuronide?: *J. Hasselström, U. Berg, A. Löfgren & J. Säwe*
519 Stereoselective binding of propranolol in the elderly: *P. Colangelo, M. Chandler, R. Blouin & P. McNamara*
523 Low and conventional dose cyclopenthiazide on glucose and lipid metabolism in mild hypertension: *G. E. McVeigh, E. B. Dulie, A. Ravenscroft, D. B. Galloway & G. D. Johnston*

Number 5, May 1989

Review
527 Myocardial β-adrenoceptor function and regulation in heart failure: implications for therapy: *D. B. Barnett*

Papers
539 Pharmacokinetic and pharmacodynamic comparison of two doses of long acting propranolol (80 to 160 mg) in healthy subjects:

B. Flouvat, I. Berlin, A. Cournot, D.Robinet, J. Duchier, H. Sarmini & A. Rossi

547 A comparison of the effects of flosequinan, a new vasodilator, and propranolol on sub-maximal exercise in healthy volunteers: *Helen M. Lewis, M. J. Kendall, S. R. Smith & J. R. Bratty*

553 Effect of CGP 17/582, a selective β-adrenoceptor antagonist, on the haemodynamic and hypokalaemic response to adrenaline: *K. F. Whyte, P. J. De Vane, R. Whitesmith, A. Kelman & J. L. Reid*

563 Evaluation of a long acting formulation of nicardipine in hypertension by clinic and home recorded blood pressures and Doppler aortovelography: *J. Webster, K. Witte, J. Rawles, J. C. Petrie & T. A. Jeffers*

569 Comparison of the efficacy and acceptability of nicardipine and propranolol, alone and in combination, in mild to moderate hypertension: *D. Maclean, E. T. Mitchell, E. M. T. Laing, F. C. Macdonald, K. J. Gough, R. J. Dow & D. G. McDevitt*

581 The contribution of nisoldipine-induced changes in liver blood flow to its pharmacokinetics after oral administration: *J. Van Harten, J. Burggraaf, M. Danhof, P. Van Brummelen & D. D. Breimer*

587 Pharmacological investigations of a new renin inhibitor in normal sodium-restricted volunteers: *M. De Gasparo, F. Cumin, J. Nussberger, T. T. Guyenne, J. M. Wood & J. Menard*

597 Equivalence of conventional and sustained release oral dosage formulations of acetazolamide in primary open angle glaucoma: *P. W. Joyce, K. B. Mills, T. Richardson & G. E. Mawer*

607 Comparative analgesic and anti-inflammatory properties of sodium salicylate and acetylsalicylic acid (aspirin) in rheumatoid arthritis: *Sally J. Preston, M. H. Arnold, Elaine M. Beller, P. M. Brooks & W. Watson Buchanan*

Short reports

613 Stereoselective metabolism of metoprolol in Caucasians and Nigerians – relationship to debrisoquine oxidation phenotype: *M. S. Lennard, G. T. Tucker, H. F. Woods, J. H. Silas & A. O. Iyun* 803

617 Glyceryl trinitrate and platelet aggregation: effects of *N*-acetylcysteine: *J. C. Hogan, M. J. Lewis & A. H. Henderson* 811

620 Mephenytoin and sparteine oxidation: genetic polymorphisms in Denmark: *Anette Drøhse, Lise Bathum, K. Brøsen & L. F. Gram* 823

626 Effect of inhaled mast cell stabiliser, *N*-acetyl-aspartyl-glutamate (Zyl5109) on allergen-induced immediate bronchoconstriction: *C. K. W. Lai, Janet Gregory & S. T. Holgate* 831

629 The pharmacokinetics of midazolam following orthotopic liver transplantation: *Maire P. Shelley, J. S. Dixon & G. R. Park* 837

634 Extra-hepatic metabolism of midazolam: *G. R. Park, A. R. Manara & S. Dawling*

Letters to the Editors 843

639 Pharmacokinetics of intravenous clomiphene isomers: *M. Szutu, D. J. Morgan, M. McLeish, G. Phillipou, G. L. Blackman, L. W. Cox & W. Dollman*

641 Odorous urine in man after asparagus: *C. Richer, N. Decker, J. Belin, J. L. Imbs, J. L. Montastruc & J. F. Guidicelli*

642 Asparagus and malodorous urine: *S. C. Mitchell*

Proceedings

643 Proceedings of the British Pharmacological Society (King's College, University of London, 19–21 December 1988)

Number 6, June 1989

Lecture

715 Ethics and law in clinical pharmacology: *D. R. Laurence*

Papers

723 The benefits of prescription information leaflets (1): *Sharon Gibbs, W. E. Waters & C. F. George*

741 Self-medication in urban and rural Zimbabwean communities: *C. M. Stein, N. P. Gora & B. M. Macheka*

749 A study of the transport of lithium across the erythrocyte membrane *in vivo* and of the effects of the ion transport inhibitors digoxin and dipyridamole: *A. J. Wood, J. K. Aronson, C. Bunch & D. G. Grahame-Smith*

757 The potassium channel opening drug cromakalim produces arterioselective vasodilation in the upper limbs of healthy volunteers: *D. J. Webb, N. Benjamin & P. Vallance*

763 Pharmacodynamic and pharmacokinetic study of propranolol in patients with cirrhosis and portal hypertension: *P. Calès, D. Grasset, A. Ravaud, C. Meskens, M. Blanc, J. P. Vinel, J. Cotonat & J. P. Pascal*

771 Bioavailability of hydroxychloroquine tablets in healthy volunteers: *S. E. Tett, D. J. Cutler, R. O. Day & K. F. Brown*

781 Inter-subject variability in the metabolism of proguanil to the active metabolite cycloguanil in man: *S. A. Ward, W. M. Watkins, E. Mberu, J. E. Saunders, D. K. Koech, H. M. Gilles, R. E. Howells & A. M. Breckenridge*

789 Lack of effect of spiramycin on cyclosporin pharmacokinetics: *L. Vernillet, P. Bertault-Peres, Y. Berland, J. Barradas, A. Durand & M. Olmer*

795 Effects of α-interferon on theophylline pharmacokinetics and metabolism: *J. H. G. Jonkman,*

K. G. Nicholson, P. R. Farrow, M. Eckert, G. Grasmeijer, B. Oosterhuis, O. E. De Noord & T. W. Guentert

803 The effect of angiotensin II and noradrenaline alone and in combination on renal sodium excretion in man: *P. H. Seidelin, J. J. McMurray, R. A. Brown & A. D. Struthers*

811 The renal and haemodynamic effects of a 10 h infusion of glutamyl-L- dopa in normal man: *T. M. MacDonald, R. F. Jeffrey & M. R. Lee*

823 A stereochemical investigation of the cytotoxicity of mianserin metabolites *in vitro*: *R. J. Riley, C. Lambert, N. R. Kitteringham & B. K. Park*

831 Bradykinin-induced bronchoconstriction: inhibition by nedocromil sodium and sodium cromoglycate: *Caroline M. S. Dixon & Peter J. Barnes*

837 Systemic β-adrenoceptor responses to salbutamol given by metered-dose inhaler alone and with pear shaped spacer attachment: comparison of electrocardiographic, hypokalaemic and haemodynamic effects: *B. J. Lipworth, D. G. McDevitt & A. D. Struthers*

843 Unbound phenytoin plasma concentrations in patients comedicated with sodium valproate—the predictive value of plasma albumin concentration: *G. J. Johnson, C. J. Kilpatrick, R. W. Bury, R. O. Fullinfaw & R. F. W. Moulds*

851 Metabolic effects of low-dose fluconazole in healthy female users and non-users of oral contraceptives: *M. H. Devenport, D. Crook, V. Wynn & L. J. Lees*

Short reports

861 Deep inspiration increases the absorption of inhaled sodium cromoglycate: *R. Richards, Christine Fowler, Stephanie F. Simpson, A. G. Renwick & S. T. Holgate*

866 Differential effects of flurbiprofen and aspirin on acetazolamide disposition in humans: *K. R. Sweeney, D. J. Chapron, E. J. Antal & P. A. Kramer*

870 The effect of indomethacin and enalapril on the cutaneous response to bradykinin: *L. G. McAlpine & N. C. Thomson*

873 Pharmacokinetics of intravenous cilazaprilat in normal volunteers: *E. M. Whitehead, G. E. Walters, P. E. O. Williams & G. D. Johnston*

Indexes

877 Author and subject indexes to Volume 27